



**DURASID<sup>®</sup>**  
easy lasting sidings





# DURASID<sup>®</sup>


easy lasting sidings



DURASID is a complete cladding system that can be used for new buildings and renovation : ideal to be applied in housing, static park homes and industrial buildings. The core is made out of cellular PVC-U with a coextruded top layer. The system is an aesthetic alternative for traditional claddings.


The benefits of these external claddings are:

- little maintenance
- easy installation
- very durable
- impact resistant
- insulating function
- available in different finishing and colours
- natural look




SIDINGS 150 MM






Sidings in cellular PVC do not only contribute to a decorative finishing of facades but also to a durable protection. They are available in different colours so that they can be combined perfectly with other claddings and building elements.
















SIDINGS 333 MM


These are double sidings with an embossed wood grain finish that combines the benefits of wood and UPVC, this means the attractive look of wood and the friendly maintenance of UPVC. Moreover the double board guarantees an even faster installation.



ARTICLE NR.		COLOR		STANDARDLENGTH	
SIDINGS 150 MM	523150	white (03)		150 MM	5 M
SIDINGS 333 MM	523333	RAL 9010 (90)		333 MM	5 M
		RAL 9001 (91)			
		RAL 1015 (92)			
		RAL 7035 (93)			

ARTICLE NR.		COLOR		DRAWING	
TWO-PART EDGE TRIM	524150	white (03)			
STARTER TRIM	524200*	RAL 9010 (90)			
JOINER PIECE	524350	RAL 9001 (91)			
		RAL 1015 (92)			
TWO-PART INTERNAL - EXTERNAL CORNER	524450	RAL 7035 (93)			

\* Only in white (03)





**DURASID®**  
easy lasting sidings

produced by PLASTIVAN

Wantestraat 3 - B-8780 Oostrozebeke  
T +32 56 66 75 51 - F +32 56 66 91 18  
info@plastivan.com - www.plastivan.com

